

118



Description

These refined suspension lamp models from the exclusive 118 lighting collection are composed of 11, 16, 20 or 28 pendants in random configuration, that attach to a white-powder coated canopy available in different shapes, using a fixed length connector.

Longest and shortest lengths are determined by client, Bocci fabricates all lengths between the available measurements. Specified shortest and longest lengths are from the underside of the canopy to the underside of the pendant. There may be variance of $\pm 2"$ on specified shortest and longest lengths.

Up-charge applies for cable lengths over 118"1/8. Lamps and power supplies are included.

The 118 series captures delicate, feather-like impressions formed during the glassblowing process—subtle marks that glass retains from its molten state. These intricate textures, preserved in the material's memory, evoke natural motifs such as a bird's wing or a blooming flower. When illuminated from within, the internal complexities of each pendant come alive, revealing a refined interplay of light and form. This series showcases a sophisticated understanding of glass's unique ability to hold onto ephemeral shapes, turning fleeting gestures into lasting impressions. Designed by Bocci.

Finishes & Materials

Pendant: Blown glass.

Coaxial Cable: Braided metal.

Canopy: Steel.

Dimensions

Pendant: $\pm \text{Ø}5\frac{1}{8}$ - $\text{Ø}5\frac{3}{4}$

11 pendants configuration (118.11)

Rectangular: $33\frac{1}{2}\text{W} \times 11\frac{1}{8}\text{D}$

Round: $\text{Ø}23\frac{5}{8}$

Square: $20\text{W} \times 20\text{D}$

16 pendants configuration (118.16)

Rectangular: $43\frac{1}{4}\text{W} \times 14\frac{5}{8}\text{D}$

Square: $23\frac{5}{8}\text{W} \times 23\frac{5}{8}\text{D}$

20 pendants configuration (118.20)

Rectangular: $52\text{W} \times 11\frac{7}{8}\text{D}$


Round: $\text{Ø}29\frac{3}{4}$

28 pendants configuration (118.28)


Rectangular: $52\text{W} \times 17\frac{1}{2}\text{D}$

Square: $29\frac{3}{4}\text{W} \times 29\frac{3}{4}\text{D}$


Length Measuring Guide



118.11) Eleven pendants




Pendant




$\pm \text{Ø}5\frac{1}{8}$ - $\text{Ø}5\frac{3}{4}$


118.16) Sixteen pendants



118.20) Twenty pendants



118.28) Twenty-eight pendants



Specifications

Mounting: Ceiling mounted.

Lamp: 1W LED 110V-120V - 100lm - 2500K / 2700K / 3000K

Dimmer: CASAMBI.

Coaxial Length: Non-djustable length.

Power Supply: Integral.